

Work Order ID 86523

86523

Page 1

Wednesday, July 04, 2012 9:16:51 AM

Item ID: D3912-041

Accept

N900040100

Setup Start *NS1*

Revision ID:

Item Name: Eyebolt Receiver Assembly

Stop *NS2*

Start Date: 7/4/2012 Start Qty: 1.00

1

Cust Item ID:

Required Date: 7/4/2012 Req'd Qty: 1.00

1

Customer:

Reference:

Approvals:

Process Plan:

MF

Date:

12-07-04

Tooling:

Date:

Run Start *NR1*

QC:

Date:

SPC (Y/N):

Date:

Stop *NR2*

Sequence ID/
Work Center ID

Operation
Description

Set Up/
Run Hours

Tool ID

Tool #

Plan
Code

Accept
Qty

Reject
Qty

Reject
Number

Insp.
Stamp

Draw Nbr

Revision Nbr

D3912

B

100

Pick Kit

0.00

100

Packaging

Memo

0.00

Packaging

12 12/07/04

110

0.00

110

Small Fab

Memo

0.00

Small Fab

1-Assemble D3912-1/-3/-5 and install rivets as per dwg
TRIM RIVETS 1.250" LONG

2- Install helical, spring plunger and spring pin lanyard assy as per dwg

12 12/07/04

120

QC5- Inspect part completeness to step on W/O

0.00

120

QC

Memo

0.00

Quality Control

Scz107104

Ⓢ

Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____
 Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 86523***86523***

Page 2

Wednesday, July 04, 2012 9:16:51 AM

Item ID: D3912-041

Accept

N900040100Setup Start ***NS1***

Revision ID:

Stop ***NS2***

Item Name: Eyebolt Receiver Assembly

Start Date: 7/4/2012 Start Qty: 1.00 ***1***

Cust Item ID:

Required Date: 7/4/2012 Req'd Qty: 1.00 ***1***

Customer:

Reference:

Approvals:	Process Plan:	Date:	Tooling:	Date:	Run Start *NR1*
	QC:	Date:	SPC (Y/N):	Date:	Stop *NR2*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

170

Identify as per dwg & Stock Location: _____

0.00

170

Packaging

Memo

0.00

Packaging

180

QC21- Final Inspection - Work Order Release

0.00




180

QC

Memo

0.00

Quality Control



Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Picklist Print

Wednesday, July 04, 2012 9:16:50 AM

Page 1

Work Order ID: 86523
Parent Item: D3912-041
Parent Item Name: Eyebolt Receiver Assembly

Start Date: 7/4/2012

Required Date: 7/4/2012

Start Qty: 1.00

Required Qty: 1.00

Comments: IPP RevA: new issue DD 09.11.18 verified by:EC IPP Rev:B 10.06.10 memo in seq110 ***IF PLUNGER GOES IN TO DEEP, INSTALL A WASHER (AN960C516L) IF NECESSARY BETWEEN PLUNGER AND D3912-1. YOU MAY HAVE TO ENLARGE WASHER HOLE FOR IT TO FIT*** DD verf:JLM IPP REV:C AS PER REV B 10-08-05 JLM VERIFIED:DD

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
NAS1149C0663R Washer		Purchased	No				Each	159.0000					
				<u>Location</u>		<u>Loc Qty</u>	<u>Loc Code</u>						
				ST297		159							
				116893		159							
D3912-1 Eyebolt		Manufactured	No			100	Each	3.0000	1	1			
				<u>Location</u>		<u>Loc Qty</u>	<u>Loc Code</u>						
				FG091		-12							
				69593		0							
				ST070		3							
				77073		2							
				82899		1							
				ST091		12							
D3912-3 Eyebolt Block		Manufactured	No			100	Each	13.0000	2	2			
				<u>Location</u>		<u>Loc Qty</u>	<u>Loc Code</u>						
				ST070		13							
				83366		1							
				85755		12							
D3912-5 Eyebolt Plate		Manufactured	No			100	Each	5.0000	2	2			
				<u>Location</u>		<u>Loc Qty</u>	<u>Loc Code</u>						
				ST070		5							
				83367		5							

Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____
 Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Picklist Print

Wednesday, July 04, 2012 9:16:50 AM

Page 2

Work Order ID: 86523

Parent Item: D3912-041

Parent Item Name: Eyebolt Receiver Assembly

Start Date: 7/4/2012

Required Date: 7/4/2012

Start Qty: 1.00

Required Qty: 1.00

D3801-1 Manufactured No Each 75.0000
Hand Retractable Spring Plunger

Location	Loc Qty	Loc Code
ST064	75	
75178	10	
81860	25	
82615	40	

MS20615-4M20 Purchased No 100 Each 144.0000
RIVET

Location	Loc Qty	Loc Code
FP	7	
120644	7	
GA	137	
119546	26	
121339	9	
121463	102	

MS21209-F615 Purchased No Each 79.0000
Heli-Coil

Location	Loc Qty	Loc Code
ST304	79	
121561	79	

1 *EP 2/07/04*

8 8 *EP 2/07/04*

8 1 *EP 2/07/04*

Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector



Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

ITEM	QTY -041	P/N	DESCRIPTION
	X	D3912-041	EYEBOLT RECEIVER ASSY
1	1	D3912-1	EYEBOLT
2	2	D3912-3	EYEBOLT BLOCK
3	2	D3912-5	EYEBOLT PLATE
4	1	D3801-1	SPRING PLUNGER
5	8	MS20615-4M20	RIVET
6	1	MS21209-F615	HELICAL
7	1	NAS1149F0332P	WASHER



SUPPLEMENTAL ISOMETRIC VIEW
(EYEBOLT PLATE REMOVED
TO SHOW INTERIOR FEATURES)

SHIP TO
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
#NO. 322

RELEASED
2010-07-16

D3912-041 EYEBOLT RECEIVER ASSY

NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: N/A
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N D3912-041 USING FINE POINT PERMANENT INK MARKER
- 7) WEIGHT -041: 1.58 lbs

B	D3801-1 WAS D3810-1 SPRING PLUNGER; D4028-041 RMV; MS21209-F615 WAS MS21209-C610 HELICAL; (1) WASHER; NAS1149C0663R ADDED; BOSS ADDED TO D3912-1.	JPH	10.06.28
A	NEW ISSUE	JPH	10.03.04
REV.	DESCRIPTION	BY	DATE
DESIGN	7.15		
DRAWN	8/1		
CHECKED	8/1		
MFG. APPR.	8/1		
APPROVED	8/1		
DE APPR.	8/1		
DATE	10.06.28		
DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA		REV. B	
DRAWING NO. D3912		SHEET 1 OF 3	
TITLE EYEBOLT RECEIVER ASSY		SCALE NTS	
COPYRIGHT © 2010 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.			


Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector


Part No: _____ **PAR #:** _____ **Fault Category:** _____ **NCR:** Yes No **DQA:** _____ **Date:** _____
Resolution: _____ **Disposition:** _____ **QA: N/C Closed:** _____ **Date:** _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries



D3912-1 EYEBOLT



SECTION A-A B6-3

RELEASED
2010-07-16

- NOTES:**
- 1) MATERIAL: 303/304/316 STAINLESS STEEL ROUND BAR, PER ASTM A276 OR ASTM A582
REF DART SPEC M303R OR M304R
 - 2) FINISH: NONE
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
 - 6) IDENTIFICATION: ID AT ASSEMBLY
 - 7) WEIGHT: 0.45 lbs

DESIGN	ALS	DART AEROSPACE LTD	
DRAWN	8/1	HAWKESBURY, ONTARIO, CANADA	
CHECKED	8/1	DRAWING NO.	REV. B
MFG. APPR.	8/1	D3912	SHEET 2 OF 3
APPROVED	8/1	TITLE	SCALE
DE APPR.	8/1	EYEBOLT RECEIVER ASSY	NTS
DATE	10.06.28	COPYRIGHT © 2010 BY DART AEROSPACE LTD	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.			


W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____


Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries



D3912-3 EYEBOLT BLOCK



D3912-5 EYEBOLT PLATE

NOTES:

- 1) MATERIAL -3: 303/304/316 STAINLESS STEEL BAR, PER ASTM A276
REF DART SPEC M303B OR M304B
- 5: 303/304/316 STAINLESS STEEL SHEET ANNEALED 2B, 0.125 THK
PER MIL-S-5059 OR AMS 5513/5524 OR ASTM A240 OR ASME 5A240
REF DART SPEC M303S11GA OR M304S11GA
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: ID AT ASSEMBLY
- 7) WEIGHT -3: 0.30 lbs
-5: 0.24 lbs

RELEASED
R 2010-07-16
jmd

DESIGN	ASS	DART AEROSPACE LTD	
DRAWN	8/1	HAWKESBURY, ONTARIO, CANADA	
CHECKED	8/1	DRAWING NO. D3912	REV. B
MFG. APPR.	8/1	TITLE EYEBOLT RECEIVER ASSY	SHEET 3 OF 3
APPROVED	8/1	SCALE	NTS
DE APPR.	8/1	COPYRIGHT © 2010 BY DART AEROSPACE LTD	
DATE	10.06.28	THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries